EXPLICIT CONTENT

Getting what you want out of Evergreen with minimum* cursing.

*Well, less cursing. Maybe.

- Data Types Refresher
- Dred Nullability
- A real-life sample report using nullability and aggregate functions

WE ARE GATHERED HERE TODAY...

A WHIRLWIND TOUR OF DATA TYPES

Love them if you can, hate them if you must, but ignore them at your peril.

Displayed Fields	Base Filters	Aggregate Filt	ters
Filter Field			Data Type
Is Deleted			bool
ls Holdable			bool
Is Reference			bool
OPAC Visible			bool

	Α	В	С	D
1	Is Deleted	Is Holdable	Is Reference	OPAC Visible
2	0	1	0	1

BOOL

To be or not to be, that is the Boolean.

Di	splayed Fields	Base Filters	Aggregate Filt	ters
	Filter Field			Data Type
	Copy ID			id
	Record ID			id
	Organizationa	l Unit ID		org_unit
	Code			id

	Α	В	С	D
1	Copy ID	Record ID	Organizational Unit ID	Code
2	3023699	10117737	18	dvd

ID

Often imitated, but never duplicated.

I mean never.

Di	splayed Fields	Base Filters	Aggregate Filters	
	Display Name	:		Data Type
	Remaining Re	newals		int
	Percent			float

	А	В
1	Remaining Renewals	Percent
2	1	0.25

INT AND FLOAT

Floats are only fractionally more complicated than ints.

Displayed Fields	Base Filters	Aggrega	te Filters	
Display Name	2			Data Type
ltem Age				interval
Average Wait Time				interval
Circulation D	uration			interval
	_			

	A	В	C
1	Item Age	Average Wait Time	Circulation Duration
2	6 mons		21 days

INTERVAL

Wait for it...

Boom, 3 seconds.

Displayed Fields		Base Filters	Aggregate Fil	ters
	Filter Field			Data Type
	Price			money
	Cost			money
	balance_owed			money
	total_owed			money
	total_paid			money

	Α	В	С	D	E
1	Price	Cost	balance_owed	total_owed	tota_paid
2	20	17.5	35	37.5	2.5

MONEY

It's all \$ ¢ ¥ £ **₩ Rs** £ F € to me.

Displayed Fields	Base Filters	Aggregate Filt	ters
Filter Field			Data Type
Circulating Lib Owning Librar Owning Org U	у		org_unit org_unit org_unit
			- 3

	А	В	С
1	Circulating Library	Owning Library	Owning Org Unit
2	18	18	17

ORG_UNIT

Consortia, systems, and branches, oh my!

Not ideal in Displayed Fields.

Display Name		Data Type
Shelving Loca	tion	text
Call Number		text
Title		text
Author		text
Barcode		text

	А	В	С	D	E
1	Shelving Location	Call Number	Title	Author	Barcode
2	Adult Fiction	FIC SMI	The Wayward Booksmith	Arron Smith	37500123456789

TEXT

Words, words, words!

Di	isplayed Fields	Base Filters	Aggregate Filters	
	Display Name			Data Type
	Check Out Dat	te/Time		timestamp
	Fine Stop Date	/Time		timestamp
	Date of Birth			timestamp
	Privilege Expira	ation Date		timestamp

	А	В	С	D
1	Check Out Date/Time	Fine Stop Date/Time	Date of Birth	Privilege Expiration Date
2	2013-05-01 13:37:51-04	2013-05-07 14:21:16-04	1979-12-15 21:57:15-05	2050-01-01 23:59:59-05

TIMESTAMP

At the tone, the time will be 2013-05-09 15:07:00-04

Displayed Fields Base Filters Aggregate Filters	
Display Name	Data Type
Call Number	link
Call Number ID	id
Bib Record	link
Record ID	id
Age Hold Protection	link
Rule ID	id

- 2	Α	В	С	D	E	F
1	Call Number	Call Number ID	Bib Record	Record ID	Age Hold Protection	Rule ID
2	2533620	2533620	10117737	10117737	2	2

LINK

Chicanery!

Database Source Browser Source Specifier: Item Sources ¥ Field Name Data Type 🖽 EŞ. Nullable Source Name Active Date/Time timesta... 🔺 ٨ ⊿ltem Age Hold Protection link Default Age Hold Protection + Alert Message text Default Call Number/Volume text Barcode Default Circulating Library Call Number/Volume link Circulation Modifier Default Can Circulate bool Circulations Default Circulating Library org_unit Default Copy Notes Circulation Modifier link Default Copy Status Circulation Type (MARC) text Default Creating User Circulations link Last Captured Hold Default Copy ID id Default Last Circulation Date v ¥ Conv Notor link ▶ Last Editing Llser Default Enable nullability selection

LINK

Put an end to this treachery.

A BRIEF INTERLUDE

Wherein a report is written and hopes are dashed

- Template Co	onfig	uration					
Name:	Pa	trons that o	we over 20.00				
Description:	Na	aive? What d	o you mean?				Save
Displayed Fi	elds	Base Filters	Aggregate Filters				
Display N	lame			Data Type	Field T	ransform	₽.
Short (Po	licy) l	Name		text	Raw Da	ata	
User ID				id	Raw Da	ata	
balance_o	owed			money	Raw Da	ata	
Alter Dis	play l	Header	Change Transform •	Move Up	Move Down	Remove S	elected Field

PRESENTING PATRONS A "UNIQUE" OPPORTUNITY

Our tale begins with the ILS User Source. Displayed are Short (Policy) Name from the Home Library Link, User Id, and balance_owed from the Open Billable Transactions link.

 Template Cor 	nfiguration					
Name:	Patrons that o	we over 20.00				
Description:	Naive? What d	lo you mean?				Save
Displayed Fiel	ds Base Filters	Aggregate Filters				
Filter Field		Field Transf	form	Operator	Value	Ę
Home Libr	ary	Raw Data		Equals	"18"	
balance_ov	wed	Raw Data		Greater than	"20.00"	
Change T	ransform •	Change Operator •	Change value	Remove value	Remove Selec	cted Fields

THE OLD COLLEGE TRY

Home Library and balance_owed play the part of base filters. The report is scheduled, and then...

	А	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	69010	
3	JCPLS	69013	
4	JCPLS	69014	
5	JCPLS	69015	
6	JCPLS	69016	
1	JCPLS	69017	
ŏ	JUPES	69018	
9	JUPLS	09019	
10	JUFLO	3333001	
	JUPES	2882102	
	JUPLS	3995138	
	JCPLS	3995170	
18352	JCPLS	3995290	
18353	JCPLS	3995588	
18354	JCPLS	3995601	
18355	JCPLS	3995848	
18356	JCPLS	3995930	

RUIN

18355 results, 4493 with balances.

Mistakes were made.

NULLABILITY

When a database gives you a blank stare

User Id	Barcode	Birthdate	First Name	Last Name
1	1234		Lou	Anderson
2	5678	1982-09-07	Sue	Smith

A DATABASE IS LIKE A BOX OF CHOCOLATES

Sometimes pieces are missing

If a filter field is accessed through a link and that link is null, reports may include erroneous results. Such as every single patron.

Database	Source Browser	
Sources		~
Nullable	Source Name	E‡
Default	Main (Profile) Permission Group	^
None	Money Summary	
Child	Money Summary	
Default	Money Summary	
None	Open Billable Transactions	
Child	Open Billable Transactions	
Default	Open Billable Transactions	
None	Physical Address	
Parent	Physical Address	
Default	Physical Address	~
✓ Enabl	e nullability selection	

THERE'S ALWAYS ANOTHER CHECKBOX

3 times the links, 3 times the fun?

Sources 🗸		~		Source Specifier:	ILS User :: Open Billable Transactions (inn	er)
Nullable	Source Name	E‡		Field Name	Data Type	₽.
None	Open Billable Transactions	~	-	balance_owed	money	^
Child	Open Billable Transactions			billing_location	link	
Default	Open Billable Transactions		1	circulation	link	
None	Physical Address			grocery	link	
Parent	Physical Address			id	id	
Default	Physical Address			last_billing_note	text	
None	Primary Identification Type			last_billing_ts	timesta	
Parent	Primary Identification Type			last_billing_type	text	
Default	Primary Identification Type		1	last_payment_not	e text	
None	Reservations			last_payment_ts	timesta	
Child	Reservations			last_payment_type	e text	
Default	> Reservations	\sim		reconcistion	link	~

THE ROAD TO VICTORY

Follow the link with None in the nullable column to banish blanks.

	A	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	833950	23
3	JCPLS	833987	45.49
4	JCPLS	833990	20.05
5	JCPLS	833990	22.27
6	JCPLS	833990	29.95
1	JCPLS	833990	36.99
ŏ	JUPLS	834001	30
9	JUPES	034009	Z1.99
10	JUFLO	034003	20.00
4400		3330004	30.33
4401	JUPLS JUPLS	3902957	34.95
	JCPLS	2302000	26.99
4490	JCPLS	3983086	30.99
4491	JCPLS	3983086	37.95
4492	JCPLS	3983086	39.99
4493	JCPLS	3983086	59.99
4494	JCPLS	3984065	48.96


LESS REALLY IS MORE

Less filler, more flavor

But I see see see a problem...

YOU AGGREGATED, BRO?

Math saves the day



3

JCPLS

Max Α В 1 Short (Policy) Name User ID balance_owed 5.5 3.5 4 JCPLS 10

5.5

0.75

3.5

10

2

HYPOTHETICALLY SPEAKING...

Aggregate functions are special transforms that use mathemagics to collapse nearly identical results.

They can be applied to displayed fields, aggregate filters, or both.

Sum

10

	А	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	5	8.25
3	JCPLS	3	4.5
4	JCPLS	2	10

REWRITING HISTORY

Mind what you have learned; remind you of a movie, it can

Database Source Browser

Sources		~	Source Specifier:	ILS User :: Open Billable Transactions (inn	ier)
Nullable	Source Name	EŞ.	Field Name	Data Type	₽₽
Nullable None Child Default None Parent Default None Parent Default None Child		~	balance_owed billing_location circulation grocery id last_billing_note last_billing_ts last_billing_type last_payment_not last_payment_ts last_payment_type	e text e timesta	^
Default None	Reservations Secondary Identification Type	~	reservation total_owed	link money	~
✓ Enabl	e nullability selection				

Template Configuration Name: Patrons that owe over 20.00 3 Description: Nullability, transform and roll out. Save Displayed Fields Base Filters

Raw Data Raw Data
Raw Data
Move Down Remove Selected Field

ONCE MORE INTO THE TEMPLATE EDITOR...

I have a good feeling about this

Sources		~		Source Specifier:	ILS User :: Open Billable Trans	sactions (inn	ner)
Nullable	Source Name	E‡		Field Name		Data Type	₽
None	Open Billable Transactions	~		balance_owed		money	^
Child	> Open Billable Transactions			billing_location		link	
Default	Open Billable Transactions		_	circulation		link	
None	Physical Address		•	grocery		link	
Parent	Physical Address			id		id	
Default	Physical Address			last_billing_note		text	
None	Primary Identification Type			last_billing_ts		timesta	
Parent	Primary Identification Type			last_billing_type		text	
Default	Primary Identification Type		4	last_payment_not	e	text	
None	Reservations		-	last_payment_ts		timesta	
Child	Reservations			last_payment_type	2	text	
Default	Reservations			reservation		link	
None	Secondary Identification Type	~		total_owed		money	¥
✓ Enable	e nullability selection						
					▲ ▲		
Template	Configuration						

Name: Patrons that owe over 20.00 3 Description: Nullabillity, transform and roll out. Save Displayed Fields Base Filter Average Count Display Name Field Transform Data Type EŞ. Count Distinct Short (Policy) Name text Raw Data First Value User ID id Raw Data balance_owed Raw Data Last Value money Max Min Raw Data Sum **Remove Selected Field** Alter Display Header Change Transform • Move Up Move Down


ONCE MORE INTO THE TEMPLATE EDITOR...

I have a good feeling about this

 Template Cor 	nfiguration						
Name:	Name: Patrons that owe over 20.00 3						
Description:	Description: Nullabillity, transform and roll out.						
Displayed Fiel	ds Base Filters	Aggregate Filters					
Filter Field		Field Tra	insform	Operator	Value	Ę	
Home Libra	ary	Raw Dat	3	Equals	"18"		
Change T	ransform •	Change Operator 🔻	Change value	Remove value	Remove Sele	cted Fields	

BASE FILTERS, SIMPLIFIED

One is the loneliest number



YOU LOOK FAMILIAR

Do you filter this field often?

	A	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	833945	38.25
3	JCPLS	833950	33
4	JCPLS	833976	39.8
- 5	JCPLS	833987	76.09
6	JCPLS	833990	203.58
1	JCPLS	833995	110
ŏ	JUPLS	834001	70
9	JUPLO	034005	30
10	JUFLO	034003	100.70
305		33330004	20.20 20.20
385		3982913	23.23
	5 JCPLS	3982957	91.95
	6 JCPLS	3983086	235.9
385	7 JCPLS	3983450	31
385	8 JCPLS	3983742	20.25
385	9 JCPLS	3984065	48.96
386	0 JCPLS	3988063	22

SUCCESS

This cake is great

No Sum Filter = 161,551.62

	А	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	833950	23
3	JCPLS	833987	45.49
4	JCPLS	833990	20.05
5	JCPLS	833990	22.27
6	JCPLS	833990	29.95
1	JCPLS	833990	36.99
ŏ	JUPLS	834001	30
9	JUPLO	034009	21.33
10	JUFLO	034003	20.00
4400	JUFLO	3330004	30.33
4407	JUPLS	22052221	34.95
4488	JUPES	3982957	47
4489	JCPLS	3983086	26.99
4490	JCPLS	3983086	30.99
4491	JCPLS	3983086	37.95
4492	JCPLS	3983086	39.99
4493	JCPLS	3983086	59.99
4494	JCPLS	3984065	48.96
4495	Total	=	161551.62

Sum filter = 373,470.43

	А	В	С
1	Short (Policy) Name	User ID	balance_owed
2	JCPLS	833945	38.25
3	JCPLS	833950	33
4	JCPLS	833976	39.8
5	JCPLS	833987	76.09
6	JCPLS	833990	203.58
1	JCPLS	833995	110
ŏ	JUPES	834001	70
9	JUPLO	034005	30
10	JUFLO	034003	100.70
JUJZ	JUFLO	3330004	00
	JUPES	3959349	23.25
3854		3982913	51
3855	JCPLS	3982957	91.95
3856	JCPLS	3983086	235.9
3857	JCPLS	3983450	31
3858	JCPLS	3983742	20.25
3859	JCPLS	3984065	48.96
3860	JCPLS	3988063	22
3861	Total	=	373470.43

BUT THE NUMBER OF ROWS WENT DOWN?

BITE SIZED IDEAS

But wait, there's more

Sources		¥		Source Specifier:	ILS User :: Money Summary (inner)
Nullable	Source Name	EŞ.		Field Name	Data Type 🖽
Default	Mailing Address	^		balance_owed	money
None	▷ Main (Profile) Permission Group			total_owed	money
Parent	Main (Profile) Permission Group			total_paid	money
Default	▶ Main (Profile) Permission Group			usr	link
None	Money Summary				
Child	Money Summary				
Default	Money Summary				
None	Open Billable Transactions				
Child	Open Billable Transactions		1		
Default	Open Billable Transactions				
None	Physical Address				
Parent	Physical Address				
Default	Physical Address				

ALL OF THAT, AND FOR WHAT?

A recent Evergreen addition: the Money Summary link.

- Circulations? Count Circ Ids.
- ► Patrons? Count User Ids.
- Counting something? Just reach for an Id.

COUNT WHO?

Count Distinct is just so... distinctive.

Org_unit or Id? In List is lovely

- Dates? Between is best (and a transform!)
- Text? Contains Matching Substring (ignore case) conquerors all
- ► Bool? Well, I hear Equals is available...

OPERATORS: EQUALS IS AWFUL

Equality is great for folks, but folly for filters. Choose an operator, any operator...

QUESTIONS?

I can't promise answers, just more words

THANK YOU

I read email at <u>Boyer.Jason@gmail.com</u>

I write (poorly and irregularly) at LoquaciousThesis.blogspot.com